

LUC-420/Florkey 7-7-15-7-23

CLAIM AMENDMENTSRECEIVED
CENTRAL FAX CENTER

JUL 24 2006

1 1. (Currently amended) An apparatus, comprising:

2 an application server component that receives one or more notifications of at
3 least one open communication session from one or more first communication devices,
4 wherein the one or more notifications are not limited to telephone numbers, email, a text
5 message, an audio message, a video message, and an interactive multimedia session;
6 and

7 wherein the application server component sends at least one of the one or more
8 notifications of the at least one open communication session to one or more second
9 communication devices; and

10 wherein upon a request by a communication device of the one or more second
11 communication devices to join an open communication session of the at least one open
12 communication session, the application server component initiates a connection of the
13 communication device to the open communication session; and

14 wherein at least one user of the one or more second communication devices
15 employs one or more topics of the at least one open communication session, a list of
16 the one or more first communication devices, and a time of the notification to make a
17 determination to join the open communication session.

1 2. (Currently amended) The apparatus of claim 1, wherein the at least one of the
2 one or more notifications comprise information of the at least one open communication
3 session; and

4 wherein the application server component sends the at least one of the one or
5 more notifications to the one or more second communication devices to output the

LUC-420/Florkey 7-7-15-7-23

6 information to the at least one user of the one or more second communication devices.

1 3. (Currently amended) The apparatus of claim 2, wherein the information
2 comprises the one or more topics of the at least one open communication session; and

3 wherein the at least one user of the one or more second communication devices
4 comprise a user of the communication device, and wherein the user employs the
5 communication device to make a selection of a topic from the one or more topics, and
6 wherein the topic corresponds to the open communication session; and

7 wherein the communication device sends the request that comprises the topic to
8 the application server component to join the open communication session; and

9 wherein upon receipt of the request, the application server component initiates
10 the connection of the communication device to the open communication session.

1 4. (Currently amended) The apparatus of claim 2, wherein the information
2 comprises [[a]] the list of the one or more first communication devices; and

3 wherein the at least one user of the one or more second communication devices
4 comprise a user of the communication device, and wherein the user employs the list to
5 make [[a]] the determination to join the open communication session; and

6 wherein upon the determination, the communication device sends the request to
7 the application server component; and

8 wherein upon receipt of the request, the application server component initiates
9 the connection of the communication device to the open communication session.

1 5. (Previously presented) The apparatus of claim 2, wherein the information
2 comprises a limit to a number of the one or more second communication devices able to

LUC-420/Florkey 7-7-15-7-23

3 participate in the open communication session; and

4 wherein once the number of the one or more second communication devices in
5 the open communication session reaches the limit, the application server component
6 rejects subsequent requests of the one or more second communication devices to join
7 the open communication session.

1 6. (Previously presented) The apparatus of claim 1, wherein the request
2 comprises a session identification of the open communication session, and wherein the
3 application server component sends the session identification to the one or more control
4 components to initiate the connection of the communication device to the open
5 communication session; and

6 wherein the one or more control components employ the session identification to
7 connect the communication device to the open communication session.

1 7. (Previously presented) The apparatus of claim 1, wherein a third
2 communication device accesses the application server component to obtain a list of the
3 at least one open communication session; and

4 wherein upon a request by the third communication device to join the open
5 communication session, the application server component initiates a connection of the
6 third communication device to the open communication session.

1 8. (Previously presented) The apparatus of claim 1, wherein prior to receipt of the
2 request from the communication device by the application server component, the one or
3 more first communication devices send a notification of a private communication
4 session to at least one of the one or more second communication devices; and

LUC-420/Florkey 7-7-15-7-23

5 wherein the open communication session becomes the private communication
6 session.

1 9. (Previously presented) The apparatus of claim 8, wherein the application
2 server component receives one or more requests to join the private communication
3 session from the at least one of the one or more second communication devices.

1 10. (Previously presented) The apparatus of claim 9, wherein the application
2 server component sends one or more rejections of the one or more requests to the at
3 least one of the one or more second communication devices.

1 11. (Previously presented) The apparatus of claim 9, wherein the application
2 server component sends one or more acceptances of the one or more requests to the at
3 least one of the one or more second communication devices.

1 12. (Previously presented) The apparatus of claim 1, wherein the at least one
2 open communication session comprise one or more voice chat rooms, and wherein the
3 one or more notifications of the at least one open communication session comprises
4 one or more notifications of one or more topics of the one or more voice chat rooms;
5 and

6 wherein the application server component sends at least one of the one or more
7 notifications of at least one of the one or more voice chat rooms to the one or more
8 second communication devices.

1 13. (Currently amended) A method, comprising the steps of:

LUC-420/Florkey 7-7-15-7-23

2 sending one or more notifications of at least one open communication session to
3 one or more communication devices, wherein the one or more notifications are not
4 limited to telephone numbers, email, a text message, an audio message, a video
5 message, and an interactive multimedia session;

6 receiving a request to join an open communication session of the at least one
7 open communication session from a communication device of the one or more
8 communication devices; and

9 initiating a connection of the communication device to the open communication
10 session; and

11 employing one or more of a topic of the at least one open communication
12 session, a list of the one or more users of the one or more communication devices, and
13 a time of the notification to make a determination to join the open communication
14 session.

1 14. (Currently amended) The method of claim 13, wherein the one or more
2 notifications comprise information of the at least one open communication session, and
3 wherein the information comprises the one or more of [[a]] the topic, [[a]] the list of one
4 or more users of the one or more communication devices, and a list of the at least one
5 open communication session, and wherein the one or more of the topic and the list
6 correspond to the open communication session, and wherein the step of receiving the
7 request to join the open communication session from the communication device further
8 comprises the steps step of:

9 ~~employing the one or more of the topic, the list of the one or more users, and the~~
10 ~~list of the at least one open communication session to make a determination to join the~~

LUC-420/Florkey 7-7-15-7-23

11 ~~open communication session; and~~

12 receiving the request to join the open communication session from the
13 communication device.

1 15. (Previously presented) The method of claim 13, wherein the one or more
2 notifications comprise information of the at least one open communication session, and
3 wherein the information comprises a limit to a number of the one or more
4 communication devices able to participate in the open communication session, and
5 wherein the step of receiving the request to join the open communication session from
6 the communication device further comprises the steps of:

7 receiving the request to join the open communication session from the
8 communication device upon reaching the limit of the number of the one or more
9 communication devices; and

10 sending a rejection of the request to the communication device prior to initiation
11 of the connection of the communication device to the open communication session.

1 16. (Previously presented) The method of claim 13, wherein the request
2 comprises a session identification of the open communication session, and wherein the
3 step of initiating the connection of the communication device to the open communication
4 session further comprises the steps of:

5 receiving the session identification from the communication device; and

6 sending the session identification to one or more control components to connect
7 the communication device to the open communication session.

1 17. (Currently amended) The method of claim 13, wherein the step of initiating

LUC-420/Florkey 7-7-15-7-23

2 the connection of the communication device to the open communication session further
3 comprises the steps of:

4 enabling access to a list of the at least one open communication sessions
5 session to a second communication device;

6 receiving a request to join the open communication session from the second
7 communication device; and

8 initiating the connection of the second communication device to the open
9 communication session.

1 18. (Previously presented) The method of claim 13, wherein the one or more
2 communication devices comprise one or more first communication devices, the method
3 further comprising the steps of:

4 receiving a notification of a private communication session prior to receipt of the
5 request to join the open communication from one or more second communication
6 devices;

7 sending the notification of the private communication session to at least one of
8 the one or more first communication devices; and

9 changing the open communication session to the private communication session.

1 19. (Currently amended) An article, comprising:

2 one or more computer-readable signal-bearing media;

3 means in the one or more media for sending one or more notifications of at least
4 one open communication session to one or more communication devices, wherein the
5 one or more notifications are not limited to telephone numbers, email, a text message,

LUC-420/Florkey 7-7-15-7-23

6 an audio message, a video message, and an interactive multimedia session;

7 means in the one or more media for receiving a request to join an open
8 communication session of the at least one open communication session from a
9 communication device of the one or more communication devices; and

10 means in the one or more media for initiating a connection of the communication
11 device to the open communication session; and

12 means in the one or more media for employing one or more of a topic of the at
13 least one open communication session, a list of the one or more users of the one or
14 more communication devices, and a time of the notification to make a determination to
15 join the open communication session.

1 20. (Currently amended) The article of claim 19, wherein the one or more
2 notifications comprise information of the at least one open communication session, and
3 wherein the information comprises the one or more of ~~[[a]]~~ the topic, ~~[[a]]~~ the list of one
4 or more users of the one or more communication devices, and a list of the at least one
5 open communication session, and wherein the one or more of the topic and the list
6 correspond to the communication session, and wherein the means in the one or more
7 media for receiving the request to join the open communication session from the
8 communication device comprises:

9 ~~means in the one or more media for employing the one or more of the topic, the~~
10 ~~list of the one or more users, and the list of the at least one open communication~~
11 ~~session to make a determination to join the open communication session; and~~

12 means in the one or more media for receiving the request to join the open
13 communication session from the communication device.